


The logo is circular, divided into two main color sections: a light blue upper section and a dark blue lower section. A white, wavy graphic element separates the two sections. The text 'Lindab Safe' is in white, sans-serif font in the upper section, with a registered trademark symbol (®) to the right of 'Safe'. The text 'click' is in white, bold, lowercase, sans-serif font in the lower section.

Lindab
Safe[®]

click

**A principle you
already know ...**



New!

Lindab Safe[®] Click Assemble easy and fast

The new, innovative duct system from Lindab is based on a principle well known to you. A simple click is all it takes to assemble the ducts and fittings. Save time and create a perfect ventilation solution. *Patent pending.*



One click – and the job is done perfectly

Lindab Safe Click is installed quickly and easily with just a click. The system improves working conditions and saves important time for installers and contractors. You will especially benefit from Lindab Safe Click where space is limited and the handling of tools is difficult.



Minimise the use of tools, rivets or screws.



Assemble ducts with a simple click.

You get the same proven system. We just added simplicity


Lindab Safe Click lets you take duct installation into your own hands. The system is based on our well-known, tested and documented Lindab Safe system. It is compatible with both Lindab's existing systems and other systems on the market. The system offers numerous advantages.

Advantages during installation


- Quick assembly
- Minimised use of screws or rivets
- Easy to install, especially where space is limited
- Better ergonomics
- Assembling and adjusting is made easier

Advantages during use

- Fewer holes from screws or rivets in the duct system and thereby a tighter system
- Fewer sharp parts from screws or rivets in the duct
- The ducts are easier to clean and the risk of bacteria growth is reduced
- Based on our well-known, tested and well-documented Lindab Safe system
- Compatible with other systems



Bring installation to the highest level



Lindab Safe Click consists of a range of circular ducts and fittings.

The system is currently available in dimensions from \varnothing 80 mm - \varnothing 315 mm.

**Ordinary duct system
with screws**



Lindab Safe® Click



Additional help tools for the installer

Due to a large amount of projects, time is limited and the working conditions are not always at its best. Lindab now presents some new products and tools that can make your working day easier and that will give you better working conditions.

SR Cutter improves ergonomics at the building site

SR Cutter gives you better working conditions and makes it physically less demanding to cut ducts. You get a perfect cut - every time. Now we have made SR Cutter even better. You get both an improved knife arm and improved Click pliers. Furthermore, we added a handle to make it easier to erect and put down. It is also CE and TÜV approved. that can make your working day easier and that will give you better working conditions.

SR Roller makes cutting of big ducts easy



Do you find it difficult to cut ducts at the building site? Lindab presents a new, ergonomic and smart solution to cut big ducts in Ø 315–1250 mm. Place the duct on the SR Rollers and then you can easily turn it while you mark the correct length and while you cut.

SR Roller makes your working day easier!



Pocket guide for making Offset calculations

To make Offset calculations easier we have made a pocket guide. Instead of using your time to measure and test the duct length you can use your guide. You can get your copy at your local branch office, or order it at: www.lindabventilation.com



www.lindab.com/click

